



ANNEXURE 1

IAP Immunization Time Table 2011

Age (completed weeks/ months/years)	Vaccines
Birth	BCG OPV0 HepB 1
6 weeks	DTwP1/DTaP1 OPV1*/ OPV1 + IPV1 Hib1 HepB2 Rotavirus 1 *# PCV 1
10 weeks	DTwP2/ DTaP2 OPV2*/ OPV2 + IPV2 Hib 2 Rotavirus 2 PCV 2
14 weeks	DTwP3/ DTaP3 OPV3*/ OPV3 + IPV3 Hib3 Rotavirus 3 HepB3** PCV 3
9 month	Measles
12 months	Hepatitis A 1
15 months	MMR1 Varicella PCV Booster
16 to 18 months	DTwP B1/ DTaP B1 OPV4*/ OPV4 + IPV B1 Hib B1
18 months	Hepatitis A 2
2 years	Typhoid 1#
5 years	DTwP B ₂ / DTaP B ₂ OPV5 MMR2 [§] Typhoid 2 Varicella 2 ^{§§}
10 to 12 years	Tdap/Td ^{&} HPV [^]

* OPV alone if IPV cannot be given

Rotavirus vaccine (2/3 doses (depending on the brand) at 4-8 weeks interval)

** The third dose of Hepatitis B can be given at 6 months

§ The second dose of MMR vaccine can be given at any time 4-8 weeks after the first dose

§§ Varicella (2nd dose may be given any time 3 months after the 1st dose)

Typhoid revaccination every 3 years

& Tdap preferred to Td, followed by repeat Td every 10 years

^ Only females, three doses at 0, 1-2 and 6 months